

Heritage Energy Rating Summary

Series	Type / Description	Glass	CSA A440.2-14					Zone	Visual Trans.
			Air Infiltration L/s/m ²	U value (W/(m ² °C))	SHGC	ER			
Heritage	Low profile picture	180	0.00	1.54	0.61	42	3	0.70	
Heritage	Fixed Casement	180	0.01	1.49	0.48	35	3	0.55	
Heritage	Casement	180	0.20	1.47	0.48	35	3	0.55	
Heritage	Awning	180	0.10	1.49	0.48	34	3	0.55	
Heritage	Low profile picture w/ grilles 5/8"	180	0.00	1.59	0.56	38	3	0.64	
Heritage	Fixed Casement w/ grilles 5/8"	180	0.01	1.53	0.44	32	2	0.50	
Heritage	Casement w/ grilles 5/8"	180	0.02	1.50	0.44	32	2	0.50	
Heritage	Awning w/ grilles 5/8"	180	0.02	1.51	0.44	32	2	0.50	
Heritage	Low profile picture w/ grilles 2"	180	0.00	1.63	0.46	31	2	0.52	
Heritage	Fixed Casement w/ grilles 2"	180	0.01	1.56	0.36	27	1	0.41	
Heritage	Casement w/ grilles 2"	180	0.02	1.54	0.36	27	1	0.41	
Heritage	Awning w/ grilles 2"	180	0.02	1.53	0.36	27	1	0.41	
Heritage	Low profile picture	180 - 3P	0.00	1.06	0.50	46	3	0.62	
Heritage	Fixed Casement	180 - 3P	0.01	0.94	0.39	42	3	0.48	
Heritage	Casement	180 - 3P	0.02	0.93	0.39	42	3	0.48	
Heritage	Awning	180 - 3P	0.02	0.93	0.39	41	3	0.48	
Heritage	Low profile picture w/ grilles 5/8"	180 - 3P	0.00	1.07	0.46	43	3	0.57	
Heritage	Fixed Casement w/ grilles 5/8"	180 - 3P	0.01	0.95	0.36	40	3	0.44	
Heritage	Casement w/ grilles 5/8"	180 - 3P	0.02	0.94	0.36	40	3	0.44	
Heritage	Awning w/ grilles 5/8"	180 - 3P	0.02	0.93	0.36	40	3	0.44	
Heritage	Low profile picture w/ grilles 2"	180 - 3P	0.00	1.08	0.37	38	3	0.46	
Heritage	Fixed Casement w/ grilles 2"	180 - 3P	0.01	0.96	0.30	36	3	0.36	
Heritage	Casement w/ grilles 2"	180 - 3P	0.02	0.94	0.30	36	3	0.36	
Heritage	Awning w/ grilles 2"	180 - 3P	0.02	0.93	0.30	36	3	0.36	
Heritage	Low profile picture	272	0.00	1.49	0.37	28	1	0.64	
Heritage	Fixed Casement	272	0.01	1.45	0.29	25	1	0.50	
Heritage	Casement	272	0.02	1.43	0.29	25	1	0.50	
Heritage	Awning	272	0.02	1.45	0.29	24	1	0.50	
Heritage	Low profile picture w/ grilles 5/8"	272	0.00	1.54	0.34	26	1	0.58	
Heritage	Fixed Casement w/ grilles 5/8"	272	0.01	1.49	0.27	23	1	0.46	
Heritage	Casement w/ grilles 5/8"	272	0.02	1.47	0.27	23	1	0.46	
Heritage	Awning w/ grilles 5/8"	272	0.02	1.47	0.27	23	1	0.46	
Heritage	Low profile picture w/ grilles 2"	272	0.00	1.60	0.28	21	1	0.47	
Heritage	Fixed Casement w/ grilles 2"	272	0.01	1.53	0.22	19	1	0.37	
Heritage	Casement w/ grilles 2"	272	0.02	1.51	0.22	19	1	0.37	
Heritage	Awning w/ grilles 2"	272	0.02	1.51	0.22	19	1	0.37	
Heritage	Low profile picture	272 - 3P	0.00	1.01	0.31	36	3	0.51	
Heritage	Fixed Casement	272 - 3P	0.01	0.92	0.24	314	3	0.39	
Heritage	Casement	272 - 3P	0.02	0.90	0.24	34	3	0.39	
Heritage	Awning	272 - 3P	0.02	0.90	0.25	34	3	0.39	
Heritage	Low profile picture w/ grilles 5/8"	272 - 3P	0.00	1.02	0.29	34	3	0.47	
Heritage	Fixed Casement w/ grilles 5/8"	272 - 3P	0.01	0.92	0.23	33	3	0.36	
Heritage	Casement w/ grilles 5/8"	272 - 3P	0.02	0.91	0.23	33	3	0.36	
Heritage	Awning w/ grilles 5/8"	272 - 3P	0.02	0.90	0.23	33	3	0.36	
Heritage	Low profile picture w/ grilles 2"	272 - 3P	0.00	1.04	0.24	31	3	0.38	
Heritage	Fixed Casement w/ grilles 2"	272 - 3P	0.01	0.94	0.19	30	3	0.30	
Heritage	Casement w/ grilles 2"	272 - 3P	0.02	0.92	0.19	30	3	0.30	
Heritage	Awning w/ grilles 2"	272 - 3P	0.02	0.91	0.19	30	3	0.30	
Heritage	Low profile picture	272 w/Tint	0.00	1.49	0.36	28	1	0.44	
Heritage	Fixed Casement	272 w/Tint	0.01	1.45	0.28	24	1	0.34	
Heritage	Casement	272 w/Tint	0.02	1.43	0.28	24	1	0.34	
Heritage	Awning	272 w/Tint	0.02	1.45	0.28	24	1	0.34	
Heritage	Low profile picture w/ grilles 5/8"	272 w/Tint	0.00	1.54	0.33	25	1	0.40	
Heritage	Fixed Casement w/ grilles 5/8"	272 w/Tint	0.01	1.49	0.26	22	1	0.31	
Heritage	Casement w/ grilles 5/8"	272 w/Tint	0.02	1.47	0.26	22	1	0.31	
Heritage	Awning w/ grilles 5/8"	272 w/Tint	0.02	1.47	0.26	22	1	0.31	

Heritage	Low profile picture w/ grilles 2"	272 w/Tint	0.00	1.60	0.27	21	1	0.32
Heritage	Fixed Casement w/ grilles 2"	272 w/Tint	0.01	1.53	0.22	19	1	0.25
Heritage	Casement w/ grilles 2"	272 w/Tint	0.02	1.51	0.22	19	1	0.25
Heritage	Awning w/ grilles 2"	272 w/Tint	0.02	1.51	0.22	19	1	0.25
Heritage	Low profile picture	272 - 3P w/Tint	0.00	1.41	0.33	28	1	0.40
Heritage	Fixed Casement	272 - 3P w/Tint	0.01	1.15	0.25	29	3	0.31
Heritage	Casement	272 - 3P w/Tint	0.02	1.14	0.25	29	3	0.31
Heritage	Awning	272 - 3P w/Tint	0.02	1.14	0.25	29	3	0.31
Heritage	Low profile picture w/ grilles 5/8"	272 - 3P w/Tint	0.00	1.43	0.30	26	1	0.36
Heritage	Fixed Casement w/ grilles 5/8"	272 - 3P w/Tint	0.01	1.17	0.23	28	3	0.28
Heritage	Casement w/ grilles 5/8"	272 - 3P w/Tint	0.02	1.16	0.23	27	3	0.28
Heritage	Awning w/ grilles 5/8"	272 - 3P w/Tint	0.02	1.15	0.23	27	3	0.28
Heritage	Low profile picture w/ grilles 2"	272 - 3P w/Tint	0.00	1.46	0.25	22	1	0.29
Heritage	Fixed Casement w/ grilles 2"	272 - 3P w/Tint	0.01	1.19	0.20	25	3	0.23
Heritage	Casement w/ grilles 2"	272 - 3P w/Tint	0.02	1.18	0.19	25	3	0.23
Heritage	Awning w/ grilles 2"	272 - 3P w/Tint	0.02	1.16	0.20	25	3	0.23
Heritage	Low profile picture	240	0.00	1.51	0.22	20	1	0.36
Heritage	Fixed Casement	240	0.01	1.48	0.18	18	1	0.28
Heritage	Casement	240	0.02	1.45	0.18	18	1	0.28
Heritage	Awning	240	0.02	1.47	0.18	18	1	0.28
Heritage	Low profile picture w/ grilles 5/8"	240	0.00	1.57	0.21	18	1	0.33
Heritage	Fixed Casement w/ grilles 5/8"	240	0.01	1.51	0.16	16	1	0.25
Heritage	Casement w/ grilles 5/8"	240	0.02	1.49	0.16	16	1	0.25
Heritage	Awning w/ grilles 5/8"	240	0.02	1.49	0.16	16	1	0.25
Heritage	Low profile picture w/ grilles 2"	240	0.00	1.62	0.17	14	0	0.26
Heritage	Fixed Casement w/ grilles 2"	240	0.01	1.55	0.14	14	1	0.21
Heritage	Casement w/ grilles 2"	240	0.02	1.53	0.14	14	1	0.21
Heritage	Awning w/ grilles 2"	240	0.02	1.52	0.14	14	1	0.21
Heritage	Low profile picture	240 - 3P	0.00	1.03	0.18	28	3	0.16
Heritage	Fixed Casement	240 - 3P	0.01	0.93	0.14	28	3	0.12
Heritage	Casement	240 - 3P	0.02	0.92	0.14	28	3	0.12
Heritage	Awning	240 - 3P	0.02	0.92	0.14	27	3	0.12
Heritage	Low profile picture w/ grilles 5/8"	240 - 3P	0.00	1.05	0.17	27	3	0.14
Heritage	Fixed Casement w/ grilles 5/8"	240 - 3P	0.01	0.94	0.13	27	3	0.11
Heritage	Casement w/ grilles 5/8"	240 - 3P	0.02	0.92	0.13	27	3	0.11
Heritage	Awning w/ grilles 5/8"	240 - 3P	0.02	0.92	0.13	27	3	0.11
Heritage	Low profile picture w/ grilles 2"	240 - 3P	0.00	1.07	0.14	25	3	0.12
Heritage	Fixed Casement w/ grilles 2"	240 - 3P	0.01	0.95	0.11	26	3	0.09
Heritage	Casement w/ grilles 2"	240 - 3P	0.02	0.94	0.11	25	3	0.09
Heritage	Awning w/ grilles 2"	240 - 3P	0.02	0.92	0.11	26	3	0.09
Heritage	Low profile picture	366	0.00	1.45	0.24	22	1	0.57
Heritage	Fixed Casement	366	0.01	1.42	0.19	20	1	0.45
Heritage	Casement	366	0.02	1.40	0.19	20	2	0.45
Heritage	Awning	366	0.02	1.42	0.19	19	1	0.45
Heritage	Low profile picture w/ grilles 5/8"	366	0.00	1.50	0.22	20	1	0.53
Heritage	Fixed Casement w/ grilles 5/8"	366	0.01	1.46	0.18	18	1	0.41
Heritage	Casement w/ grilles 5/8"	366	0.02	1.44	0.18	18	1	0.41
Heritage	Awning w/ grilles 5/8"	366	0.02	1.44	0.18	18	1	0.41
Heritage	Low profile picture w/ grilles 2"	366	0.00	1.57	0.19	17	1	0.43
Heritage	Fixed Casement w/ grilles 2"	366	0.01	1.51	0.15	16	1	0.34
Heritage	Casement w/ grilles 2"	366	0.02	1.49	0.15	16	1	0.34
Heritage	Awning w/ grilles 2"	366	0.02	1.48	0.15	16	1	0.34
Heritage	Low profile picture	366 - 3P	0.00	0.97	0.21	31	3	0.41
Heritage	Fixed Casement	366 - 3P	0.01	0.89	0.17	30	3	0.32
Heritage	Casement	366 - 3P	0.02	0.88	0.17	30	3	0.32
Heritage	Awning	366 - 3P	0.02	0.88	0.17	30	3	0.32
Heritage	Low profile picture w/ grilles 5/8"	366 - 3P	0.00	0.98	0.19	30	3	0.38
Heritage	Fixed Casement w/ grilles 5/8"	366 - 3P	0.01	0.90	0.15	29	3	0.29
Heritage	Casement w/ grilles 5/8"	366 - 3P	0.02	0.89	0.15	29	3	0.29
Heritage	Awning w/ grilles 5/8"	366 - 3P	0.02	0.88	0.15	29	3	0.29
Heritage	Low profile picture w/ grilles 2"	366 - 3P	0.00	1.00	0.16	27	3	0.31
Heritage	Fixed Casement w/ grilles 2"	366 - 3P	0.01	0.92	0.13	27	3	0.24
Heritage	Casement w/ grilles 2"	366 - 3P	0.02	0.90	0.13	27	3	0.24
Heritage	Awning w/ grilles 2"	366 - 3P	0.02	0.88	0.13	28	3	0.24

Heritage	Low profile picture	180 - i89	0.00	1.26	0.55	44	3	0.69
Heritage	Fixed Casement	180 - i89	0.01	1.28	0.43	37	3	0.53
Heritage	Casement	180 - i89	0.02	1.26	0.43	37	3	0.53
Heritage	Awning	180 - i89	0.02	1.30	0.43	36	3	0.53
Heritage	Low profile picture w/ grilles 5/8"	180 - i89	0.00	1.29	0.51	41	3	0.63
Heritage	Fixed Casement w/ grilles 5/8"	180 - i89	0.01	1.30	0.40	35	3	0.49
Heritage	Casement w/ grilles 5/8"	180 - i89	0.02	1.28	0.40	35	3	0.49
Heritage	Awning w/ grilles 5/8"	180 - i89	0.02	1.29	0.40	34	3	0.49
Heritage	Low profile picture w/ grilles 2"	180 - i89	0.00	1.32	0.41	35	3	0.51
Heritage	Fixed Casement w/ grilles 2"	180 - i89	0.01	1.32	0.33	30	2	0.40
Heritage	Casement w/ grilles 2"	180 - i89	0.02	1.30	0.33	30	2	0.40
Heritage	Awning w/ grilles 2"	180 - i89	0.02	1.31	0.33	30	2	0.40
Heritage	Low profile picture	272 - i89	0.00	1.23	0.36	34	3	0.62
Heritage	Fixed Casement	272 - i89	0.01	1.26	0.28	29	2	0.48
Heritage	Casement	272 - i89	0.02	1.23	0.28	29	2	0.48
Heritage	Awning	272 - i89	0.02	1.27	0.28	28	2	0.48
Heritage	Low profile picture w/ grilles 5/8"	272 - i89	0.00	1.26	0.33	31	2	0.57
Heritage	Fixed Casement w/ grilles 5/8"	272 - i89	0.01	1.28	0.26	27	2	0.45
Heritage	Casement w/ grilles 5/8"	272 - i89	0.02	1.25	0.26	27	2	0.45
Heritage	Awning w/ grilles 5/8"	272 - i89	0.02	1.27	0.26	27	2	0.45
Heritage	Low profile picture w/ grilles 2"	272 - i89	0.00	1.29	0.27	27	2	0.46
Heritage	Fixed Casement w/ grilles 2"	272 - i89	0.01	1.30	0.22	24	2	0.37
Heritage	Casement w/ grilles 2"	272 - i89	0.02	1.28	0.22	24	2	0.37
Heritage	Awning w/ grilles 2"	272 - i89	0.02	1.29	0.22	24	2	0.37
Heritage	Low profile picture	180 - i89 - 3P	0.00	0.94	0.47	47	3	0.61
Heritage	Fixed Casement	180 - i89 - 3P	0.01	0.87	0.37	42	3	0.47
Heritage	Casement	180 - i89 - 3P	0.02	0.85	0.37	42	3	0.47
Heritage	Awning	180 - i89 - 3P	0.02	0.86	0.37	42	3	0.47
Heritage	Low profile picture w/ grilles 5/8"	180 - i89 - 3P	0.00	0.96	0.44	44	3	0.55
Heritage	Fixed Casement w/ grilles 5/8"	180 - i89 - 3P	0.01	0.88	0.34	40	3	0.43
Heritage	Casement w/ grilles 5/8"	180 - i89 - 3P	0.02	0.86	0.34	40	3	0.43
Heritage	Awning w/ grilles 5/8"	180 - i89 - 3P	0.02	0.86	0.34	40	3	0.43
Heritage	Low profile picture w/ grilles 2"	180 - i89 - 3P	0.00	0.96	0.35	39	3	0.45
Heritage	Fixed Casement w/ grilles 2"	180 - i89 - 3P	0.01	0.88	0.28	37	3	0.35
Heritage	Casement w/ grilles 2"	180 - i89 - 3P	0.02	0.87	0.28	37	3	0.35
Heritage	Awning w/ grilles 2"	180 - i89 - 3P	0.02	0.86	0.28	37	3	0.35
Heritage	Low profile picture	272 - i89 - 3P	0.00	0.90	0.28	36	3	0.50
Heritage	Fixed Casement	272 - i89 - 3P	0.01	0.85	0.22	34	3	0.39
Heritage	Casement	272 - i89 - 3P	0.02	0.83	0.22	34	3	0.39
Heritage	Awning	272 - i89 - 3P	0.02	0.84	0.22	34	3	0.39
Heritage	Low profile picture w/ grilles 5/8"	272 - i89 - 3P	0.00	0.92	0.26	35	3	0.46
Heritage	Fixed Casement w/ grilles 5/8"	272 - i89 - 3P	0.01	0.86	0.21	33	3	0.35
Heritage	Casement w/ grilles 5/8"	272 - i89 - 3P	0.02	0.84	0.21	33	3	0.35
Heritage	Awning w/ grilles 5/8"	272 - i89 - 3P	0.02	0.84	0.21	33	3	0.35
Heritage	Low profile picture w/ grilles 2"	272 - i89 - 3P	0.00	0.93	0.21	32	3	0.37
Heritage	Fixed Casement w/ grilles 2"	272 - i89 - 3P	0.01	0.86	0.17	31	3	0.29
Heritage	Casement w/ grilles 2"	272 - i89 - 3P	0.02	0.84	0.17	31	3	0.29
Heritage	Awning w/ grilles 2"	272 - i89 - 3P	0.02	0.84	0.17	31	3	0.29
Heritage	Low profile picture	366 - i89 - 3P	0.00	0.87	0.18	31	3	0.40
Heritage	Fixed Casement	366 - i89 - 3P	0.01	0.83	0.14	30	3	0.31
Heritage	Casement	366 - i89 - 3P	0.02	0.81	0.14	30	3	0.31
Heritage	Awning	366 - i89 - 3P	0.02	0.82	0.14	29	3	0.31
Heritage	Low profile picture w/ grilles 5/8"	366 - i89 - 3P	0.00	0.89	0.17	30	3	0.37
Heritage	Fixed Casement w/ grilles 5/8"	366 - i89 - 3P	0.01	0.84	0.13	29	3	0.29
Heritage	Casement w/ grilles 5/8"	366 - i89 - 3P	0.02	0.82	0.13	29	3	0.29
Heritage	Awning w/ grilles 5/8"	366 - i89 - 3P	0.02	0.82	0.13	29	3	0.28
Heritage	Low profile picture w/ grilles 2"	366 - i89 - 3P	0.00	0.90	0.14	28	3	0.30
Heritage	Fixed Casement w/ grilles 2"	366 - i89 - 3P	0.01	0.85	0.11	28	3	0.23
Heritage	Casement w/ grilles 2"	366 - i89 - 3P	0.02	0.83	0.11	28	3	0.24
Heritage	Awning w/ grilles 2"	366 - i89 - 3P	0.02	0.82	0.11	28	3	0.23

Certification and testing carried out by:

Intertek Testing Services NA Ltd.
6225 Kenway Drive
Mississauga, Ont. L4V 1B3