



since 1928

### Trinity Energy Rating Summary

CSA A440.2-14								
Series	Type / Description	Glass	Air Infiltration L/s/m <sup>2</sup>	U value (W/(m <sup>2</sup> °C))	SHGC	ER	Zone	Visual Trans.
Trinity	Low profile picture	180	0.01	1.53	0.60	41	3	0.69
Trinity	Fixed Casement	180	0.02	1.49	0.46	34	3	0.52
Trinity	Casement	180	0.10	1.52	0.46	33	2	0.52
Trinity	Awning	180	0.10	1.53	0.46	33	2	0.52
Trinity	Double Slider	180	0.50	1.66	0.52	33	2	0.60
Trinity	Double Hung	180	0.60	1.65	0.52	33	2	0.60
Trinity	Low profile picture w/ grilles 5/8"	180	0.01	1.58	0.55	37	3	0.63
Trinity	Fixed Casement w/ grilles 5/8"	180	0.02	1.53	0.42	31	2	0.48
Trinity	Casement w/ grilles 5/8"	180	0.10	1.55	0.42	30	2	0.48
Trinity	Awning w/ grilles 5/8"	180	0.10	1.56	0.42	30	2	0.48
Trinity	Double Slider w/ grilles 5/8"	180	0.50	1.70	0.48	30	2	0.54
Trinity	Double Hung w/ grilles 5/8"	180	0.60	1.69	0.48	30	2	0.54
Trinity	Low profile picture w/ grilles 2"	180	0.01	1.63	0.45	30	2	0.51
Trinity	Fixed Casement w/ grilles 2"	180	0.02	1.56	0.35	26	1	0.39
Trinity	Casement w/ grilles 2"	180	0.10	1.58	0.35	25	1	0.39
Trinity	Awning w/ grilles 2"	180	0.10	1.58	0.35	25	1	0.39
Trinity	Double Slider w/ grilles 2"	180	0.50	1.74	0.38	23	0	0.43
Trinity	Double Hung w/ grilles 2"	180	0.60	1.73	0.38	23	0	0.43
Trinity	Low profile picture	180 - 3P	0.01	0.88	0.49	49	3	0.61
Trinity	Fixed Casement	180 - 3P	0.02	0.99	0.38	40	3	0.46
Trinity	Casement	180 - 3P	0.10	1.02	0.37	39	3	0.46
Trinity	Awning	180 - 3P	0.10	1.02	0.37	39	3	0.46
Trinity	Double Slider	180 - 3P	0.50	1.48	0.44	32	2	0.54
Trinity	Double Hung	180 - 3P	0.60	1.40	0.44	34	3	0.54
Trinity	Low profile picture w/ grilles 5/8"	180 - 3P	0.01	0.89	0.45	47	3	0.56
Trinity	Fixed Casement w/ grilles 5/8"	180 - 3P	0.02	0.99	0.35	39	3	0.42
Trinity	Casement w/ grilles 5/8"	180 - 3P	0.10	1.02	0.35	32	3	0.42
Trinity	Awning w/ grilles 5/8"	180 - 3P	0.10	1.02	0.35	32	3	0.42
Trinity	Double Slider w/ grilles 5/8"	180 - 3P	0.50	1.58	0.40	28	1	0.49
Trinity	Double Hung w/ grilles 5/8"	180 - 3P	0.60	1.50	0.40	29	2	0.49
Trinity	Low profile picture w/ grilles 2"	180 - 3P	0.01	0.90	0.37	42	3	0.45
Trinity	Fixed Casement w/ grilles 2"	180 - 3P	0.02	1.00	0.29	35	3	0.35
Trinity	Casement w/ grilles 2"	180 - 3P	0.10	1.03	0.28	33	3	0.34
Trinity	Awning w/ grilles 2"	180 - 3P	0.10	1.28	0.28	34	3	0.34
Trinity	Double Slider w/ grilles 2"	180 - 3P	0.50	1.60	0.32	22	1	0.39
Trinity	Double Hung w/ grilles 2"	180 - 3P	0.60	1.51	0.32	24	1	0.39
Trinity	Low profile picture	272	0.01	1.48	0.36	28	1	0.63
Trinity	Fixed Casement	272	0.02	1.46	0.28	24	1	0.48
Trinity	Casement	272	0.10	1.48	0.28	23	1	0.47
Trinity	Awning	272	0.10	1.50	0.28	23	1	0.47
Trinity	Double Slider	272	0.50	1.62	0.32	22	0	0.55
Trinity	Double Hung	272	0.60	1.60	0.32	22	1	0.54
Trinity	Low profile picture w/ grilles 5/8"	272	0.01	1.54	0.33	25	1	0.57
Trinity	Fixed Casement w/ grilles 5/8"	272	0.02	1.49	0.26	22	1	0.44
Trinity	Casement w/ grilles 5/8"	272	0.10	1.52	0.26	22	1	0.43
Trinity	Awning w/ grilles 5/8"	272	0.10	1.52	0.26	22	1	0.43
Trinity	Double Slider w/ grilles 5/8"	272	0.50	1.66	0.29	19	0	0.49
Trinity	Double Hung w/ grilles 5/8"	272	0.60	1.65	0.29	20	0	0.49
Trinity	Low profile picture w/ grilles 2"	272	0.01	1.59	0.27	21	1	0.46
Trinity	Fixed Casement w/ grilles 2"	272	0.02	1.53	0.22	19	1	0.36
Trinity	Casement w/ grilles 2"	272	0.10	1.56	0.21	18	1	0.36
Trinity	Awning w/ grilles 2"	272	0.10	1.55	0.21	18	1	0.36
Trinity	Double Slider w/ grilles 2"	272	0.50	1.71	0.23	15	0	0.39
Trinity	Double Hung w/ grilles 2"	272	0.60	1.70	0.23	15	0	0.39
Trinity	Low profile picture	272 - 3P	0.01	0.85	0.31	39	3	0.50
Trinity	Fixed Casement	272 - 3P	0.02	0.96	0.24	33	3	0.38
Trinity	Casement	272 - 3P	0.10	1.19	0.24	28	3	0.38
Trinity	Awning	272 - 3P	0.10	1.07	0.24	30	3	0.38
Trinity	Double Slider	272 - 3P	0.50	1.45	0.27	23	1	0.44
Trinity	Double Hung	272 - 3P	0.60	1.37	0.27	25	2	0.44

Trinity	Low profile picture w/ grilles 5/8"	272 - 3P	0.01	0.86	0.28	37	3	0.46	
Trinity	Fixed Casement w/ grilles 5/8"	272 - 3P	0.02	0.97	0.22	31	3	0.35	
Trinity	Casement w/ grilles 5/8"	272 - 3P	0.10	1.20	0.22	26	3	0.35	
Trinity	Awning w/ grilles 5/8"	272 - 3P	0.10	1.07	0.22	29	3	0.35	
Trinity	Double Slider w/ grilles 5/8"	272 - 3P	0.50	1.55	0.25	20	1	0.40	
Trinity	Double Hung w/ grilles 5/8"	272 - 3P	0.60	1.47	0.25	21	1	0.40	
Trinity	Low profile picture w/ grilles 2"	272 - 3P	0.01	0.88	0.23	34	3	0.37	
Trinity	Fixed Casement w/ grilles 2"	272 - 3P	0.02	0.98	0.18	29	3	0.29	
Trinity	Casement w/ grilles 2"	272 - 3P	0.10	1.21	0.18	24	2	0.31	
Trinity	Awning w/ grilles 2"	272 - 3P	0.10	1.08	0.18	27	3	0.28	
Trinity	Double Slider w/ grilles 2"	272 - 3P	0.50	1.70	0.20	13	0	0.32	
Trinity	Double Hung w/ grilles 2"	272 - 3P	0.60	1.50	0.20	18	1	0.32	
Trinity	Low profile picture	272 w/Tint	0.01	1.48	0.35	28	1	0.43	
Trinity	Fixed Casement	272 w/Tint	0.02	1.46	0.27	24	1	0.32	
Trinity	Casement	272 w/Tint	0.10	1.48	0.27	23	1	0.32	
Trinity	Awning	272 w/Tint	0.10	1.50	0.27	23	1	0.32	
Trinity	Double Slider	272 w/Tint	0.50	1.62	0.31	21	0	0.37	
Trinity	Double Hung	272 w/Tint	0.60	1.60	0.31	22	1	0.37	
Trinity	Low profile picture w/ grilles 5/8"	272 w/Tint	0.01	1.54	0.32	25	1	0.39	
Trinity	Fixed Casement w/ grilles 5/8"	272 w/Tint	0.02	1.49	0.25	22	1	0.30	
Trinity	Casement w/ grilles 5/8"	272 w/Tint	0.10	1.52	0.25	21	1	0.30	
Trinity	Awning w/ grilles 5/8"	272 w/Tint	0.10	1.52	0.25	21	1	0.30	
Trinity	Double Slider w/ grilles 5/8"	272 w/Tint	0.50	1.66	0.28	19	0	0.34	
Trinity	Double Hung w/ grilles 5/8"	272 w/Tint	0.60	1.65	0.28	19	0	0.34	
Trinity	Low profile picture w/ grilles 2"	272 w/Tint	0.01	1.54	0.32	25	1	0.39	
Trinity	Fixed Casement w/ grilles 2"	272 w/Tint	0.02	1.53	0.21	19	1	0.24	
Trinity	Casement w/ grilles 2"	272 w/Tint	0.10	1.56	0.21	18	1	0.24	
Trinity	Awning w/ grilles 2"	272 w/Tint	0.10	1.55	0.21	18	1	0.24	
Trinity	Double Slider w/ grilles 2"	272 w/Tint	0.50	1.71	0.23	15	0	0.27	
Trinity	Double Hung w/ grilles 2"	272 w/Tint	0.60	1.70	0.23	15	0	0.27	
Trinity	Low profile picture	272 - 3P w/Tint	0.01	1.15	0.32	33	3	0.39	
Trinity	Fixed Casement	272 - 3P w/Tint	0.02	1.57	0.25	20	1	0.29	
Trinity	Casement	272 - 3P w/Tint	0.10	1.57	0.25	20	1	0.29	
Trinity	Awning	272 - 3P w/Tint	0.10	1.49	0.25	22	1	0.29	
Trinity	Double Slider	272 - 3P w/Tint	0.50	1.71	0.29	18	0	0.44	
Trinity	Double Hung	272 - 3P w/Tint	0.60	1.60	0.29	21	1	0.44	
Trinity	Low profile picture w/ grilles 5/8"	272 - 3P w/Tint	0.01	1.17	0.29	31	3	0.36	
Trinity	Fixed Casement w/ grilles 5/8"	272 - 3P w/Tint	0.02	1.59	0.23	18	1	0.27	
Trinity	Casement w/ grilles 5/8"	272 - 3P w/Tint	0.10	1.59	0.23	18	1	0.27	
Trinity	Awning w/ grilles 5/8"	272 - 3P w/Tint	0.10	1.50	0.23	20	1	0.27	
Trinity	Double Slider w/ grilles 5/8"	272 - 3P w/Tint	0.50	1.88	0.26	13	0	0.40	
Trinity	Double Hung w/ grilles 5/8"	272 - 3P w/Tint	0.60	1.77	0.26	15	0	0.40	
Trinity	Low profile picture w/ grilles 2"	272 - 3P w/Tint	0.01	1.20	0.24	28	3	0.35	
Trinity	Fixed Casement w/ grilles 2"	272 - 3P w/Tint	0.02	1.59	0.23	18	1	0.27	
Trinity	Casement w/ grilles 2"	272 - 3P w/Tint	0.10	1.61	0.19	15	0	0.22	
Trinity	Awning w/ grilles 2"	272 - 3P w/Tint	0.10	1.51	0.19	18	1	0.22	
Trinity	Double Slider w/ grilles 2"	272 - 3P w/Tint	0.50	1.98	0.22	8	0	0.32	
Trinity	Double Hung w/ grilles 2"	272 - 3P w/Tint	0.60	1.87	0.21	10	0	0.32	
Trinity	Low profile picture	240	0.01	1.51	0.22	20	1	0.35	
Trinity	Fixed Casement	240	0.02	1.48	0.17	17	1	0.26	
Trinity	Casement	240	0.10	1.50	0.17	17	1	0.26	
Trinity	Awning	240	0.10	1.53	0.17	17	1	0.24	
Trinity	Double Slider	240	0.50	1.64	0.19	14	0	0.30	
Trinity	Double Hung	240	0.60	1.63	0.19	14	0	0.30	
Trinity	Low profile picture w/ grilles 5/8"	240	0.01	1.57	0.20	17	1	0.32	
Trinity	Fixed Casement w/ grilles 5/8"	240	0.02	1.51	0.16	16	1	0.24	
Trinity	Casement w/ grilles 5/8"	240	0.10	1.54	0.16	15	1	0.24	
Trinity	Awning w/ grilles 5/8"	240	0.10	1.54	0.16	16	1	0.24	
Trinity	Double Slider w/ grilles 5/8"	240	0.50	1.68	0.18	13	0	0.28	
Trinity	Double Hung w/ grilles 5/8"	240	0.60	1.67	0.18	13	0	0.28	
Trinity	Low profile picture w/ grilles 2"	240	0.01	1.62	0.17	14	0	0.26	
Trinity	Fixed Casement w/ grilles 2"	240	0.02	1.55	0.13	14	1	0.20	
Trinity	Casement w/ grilles 2"	240	0.10	1.57	0.13	13	1	0.20	
Trinity	Awning w/ grilles 2"	240	0.10	1.57	0.13	13	1	0.20	
Trinity	Double Slider w/ grilles 2"	240	0.50	1.73	0.15	10	0	0.22	
Trinity	Double Hung w/ grilles 2"	240	0.60	1.72	0.15	10	0	0.22	
Trinity	Low profile picture	240 - 3P	0.01	0.87	0.18	31	3	0.16	
Trinity	Fixed Casement	240 - 3P	0.02	0.97	0.14	27	3	0.12	
Trinity	Casement	240 - 3P	0.10	1.21	0.14	21	2	0.12	
Trinity	Awning	240 - 3P	0.10	1.09	0.14	24	3	0.12	
Trinity	Double Slider	240 - 3P	0.50	1.47	0.16	16	1	0.14	
Trinity	Double Hung	240 - 3P	0.60	1.39	0.16	18	1	0.14	

Trinity	Low profile picture w/ grilles 5/8"	240 - 3P	0.01	0.88	0.17	31	3	0.14
Trinity	Fixed Casement w/ grilles 5/8"	240 - 3P	0.02	0.98	0.13	26	3	0.11
Trinity	Casement w/ grilles 5/8"	240 - 3P	0.10	1.22	0.13	20	2	0.11
Trinity	Awning w/ grilles 5/8"	240 - 3P	0.10	1.09	0.13	24	3	0.11
Trinity	Double Slider w/ grilles 5/8"	240 - 3P	0.50	1.57	0.15	13	1	0.12
Trinity	Double Hung w/ grilles 5/8"	240 - 3P	0.60	1.48	0.15	15	1	0.12
Trinity	Low profile picture w/ grilles 2"	240 - 3P	0.01	0.90	0.14	28	3	0.11
Trinity	Fixed Casement w/ grilles 2"	240 - 3P	0.02	1.00	0.11	24	3	0.09
Trinity	Casement w/ grilles 2"	240 - 3P	0.10	1.23	0.11	19	1	0.09
Trinity	Awning w/ grilles 2"	240 - 3P	0.10	1.09	0.11	22	2	0.09
Trinity	Double Slider w/ grilles 2"	240 - 3P	0.50	1.60	0.12	11	1	0.10
Trinity	Double Hung w/ grilles 2"	240 - 3P	0.60	1.52	0.12	13	1	0.10
Trinity	Low profile picture	366	0.01	1.45	0.24	22	1	0.56
Trinity	Fixed Casement	366	0.02	1.43	0.19	20	1	0.43
Trinity	Casement	366	0.10	1.45	0.19	19	1	0.43
Trinity	Awning	366	0.10	1.47	0.19	19	1	0.43
Trinity	Double Slider	366	0.50	1.58	0.21	17	1	0.49
Trinity	Double Hung	366	0.60	1.57	0.21	17	1	0.49
Trinity	Low profile picture w/ grilles 5/8"	366	0.01	1.50	0.22	20	1	0.52
Trinity	Fixed Casement w/ grilles 5/8"	366	0.02	1.46	0.17	18	1	0.39
Trinity	Casement w/ grilles 5/8"	366	0.10	1.49	0.17	17	1	0.39
Trinity	Awning w/ grilles 5/8"	366	0.10	1.49	0.17	17	1	0.39
Trinity	Double Slider w/ grilles 5/8"	366	0.50	1.63	0.19	14	0	0.45
Trinity	Double Hung w/ grilles 5/8"	366	0.60	1.62	0.19	14	0	0.45
Trinity	Low profile picture w/ grilles 2"	366	0.01	1.56	0.18	16	1	0.42
Trinity	Fixed Casement w/ grilles 2"	366	0.02	1.51	0.15	16	1	0.32
Trinity	Casement w/ grilles 2"	366	0.10	1.53	0.14	14	1	0.32
Trinity	Awning w/ grilles 2"	366	0.10	1.53	0.14	15	1	0.32
Trinity	Double Slider w/ grilles 2"	366	0.50	1.68	0.16	11	0	0.35
Trinity	Double Hung w/ grilles 2"	366	0.60	1.67	0.16	12	0	0.39
Trinity	Low profile picture	366 - 3P	0.01	0.82	0.21	34	3	0.41
Trinity	Fixed Casement	366 - 3P	0.02	0.94	0.16	29	3	0.31
Trinity	Casement	366 - 3P	0.10	1.16	0.16	24	3	0.31
Trinity	Awning	366 - 3P	0.10	1.04	0.16	0	3	0.31
Trinity	Double Slider	366 - 3P	0.50	1.43	0.19	19	1	0.36
Trinity	Double Hung	366 - 3P	0.60	1.35	0.18	20	2	0.36
Trinity	Low profile picture w/ grilles 5/8"	366 - 3P	0.01	0.83	0.19	33	3	0.37
Trinity	Fixed Casement w/ grilles 5/8"	366 - 3P	0.02	0.95	0.15	28	3	0.28
Trinity	Casement w/ grilles 5/8"	366 - 3P	0.10	1.17	0.15	23	2	0.28
Trinity	Awning w/ grilles 5/8"	366 - 3P	0.10	1.05	0.15	25	3	0.28
Trinity	Double Slider w/ grilles 5/8"	366 - 3P	0.50	1.53	0.17	15	1	0.33
Trinity	Double Hung w/ grilles 5/8"	366 - 3P	0.60	1.45	0.17	17	1	0.33
Trinity	Low profile picture w/ grilles 2"	366 - 3P	0.01	0.85	0.16	31	3	0.30
Trinity	Fixed Casement w/ grilles 2"	366 - 3P	0.02	0.96	0.12	26	3	0.23
Trinity	Casement w/ grilles 2"	366 - 3P	0.10	1.18	0.13	21	2	0.23
Trinity	Awning w/ grilles 2"	366 - 3P	0.10	1.05	0.12	24	3	0.23
Trinity	Double Slider w/ grilles 2"	366 - 3P	0.50	1.57	0.14	13	1	0.26
Trinity	Double Hung w/ grilles 2"	366 - 3P	0.60	1.49	0.14	14	1	0.26
Trinity	Low profile picture	180 - i89	0.01	1.26	0.54	44	3	0.67
Trinity	Fixed Casement	180 - i89	0.02	1.28	0.42	36	3	0.51
Trinity	Casement	180 - i89	0.10	1.30	0.42	35	3	0.51
Trinity	Awning	180 - i89	0.10	1.34	0.42	35	3	0.51
Trinity	Double Slider	180 - i89	0.50	1.43	0.47	35	3	0.59
Trinity	Double Hung	180 - i89	0.60	1.41	0.47	35	3	0.59
Trinity	Low profile picture w/ grilles 5/8"	180 - i89	0.01	1.28	0.50	41	3	0.62
Trinity	Fixed Casement w/ grilles 5/8"	180 - i89	0.02	1.30	0.38	33	2	0.47
Trinity	Casement w/ grilles 5/8"	180 - i89	0.10	1.32	0.38	33	2	0.47
Trinity	Awning w/ grilles 5/8"	180 - i89	0.10	1.34	0.38	33	2	0.47
Trinity	Double Slider w/ grilles 5/8"	180 - i89	0.50	1.45	0.43	32	2	0.53
Trinity	Double Hung w/ grilles 5/8"	180 - i89	0.60	1.43	0.43	32	2	0.53
Trinity	Low profile picture w/ grilles 2"	180 - i89	0.01	1.32	0.41	35	3	0.50
Trinity	Fixed Casement w/ grilles 2"	180 - i89	0.02	1.32	0.32	30	2	0.38
Trinity	Casement w/ grilles 2"	180 - i89	0.10	1.35	0.32	29	2	0.38
Trinity	Awning w/ grilles 2"	180 - i89	0.10	1.36	0.32	29	2	0.38
Trinity	Double Slider w/ grilles 2"	180 - i89	0.50	1.47	0.35	27	1	0.42
Trinity	Double Hung w/ grilles 2"	180 - i89	0.60	1.46	0.35	27	1	0.42
Trinity	Low profile picture	272 - i89	0.01	1.22	0.35	33	2	0.61
Trinity	Fixed Casement	272 - i89	0.02	1.25	0.27	28	2	0.47
Trinity	Casement	272 - i89	0.10	1.28	0.27	27	2	0.46
Trinity	Awning	272 - i89	0.10	1.31	0.27	27	2	0.46
Trinity	Double Slider	272 - i89	0.50	1.40	0.31	26	2	0.53
Trinity	Double Hung	272 - i89	0.60	1.38	0.31	27	2	0.53

Trinity	Low profile picture w/ grilles 5/8"	272 - i89	0.01	1.25	0.33	32	2	0.56
Trinity	Fixed Casement w/ grilles 5/8"	272 - i89	0.02	1.27	0.25	27	2	0.43
Trinity	Casement w/ grilles 5/8"	272 - i89	0.10	1.30	0.25	26	2	0.42
Trinity	Awning w/ grilles 5/8"	272 - i89	0.10	1.31	0.25	26	2	0.42
Trinity	Double Slider w/ grilles 5/8"	272 - i89	0.50	1.42	0.28	24	1	0.48
Trinity	Double Hung w/ grilles 5/8"	272 - i89	0.60	1.41	0.28	24	1	0.48
Trinity	Low profile picture w/ grilles 2"	272 - i89	0.01	1.29	0.27	27	2	0.45
Trinity	Fixed Casement w/ grilles 2"	272 - i89	0.02	1.30	0.21	24	2	0.35
Trinity	Casement w/ grilles 2"	272 - i89	0.10	1.33	0.21	23	2	0.35
Trinity	Awning w/ grilles 2"	272 - i89	0.10	1.33	0.21	23	2	0.35
Trinity	Double Slider w/ grilles 2"	272 - i89	0.50	1.45	0.23	21	1	0.38
Trinity	Double Hung w/ grilles 2"	272 - i89	0.60	1.44	0.23	21	1	0.38
Trinity	Low profile picture	180 - i89 - 3P	0.01	0.79	0.47	50	3	0.59
Trinity	Fixed Casement	180 - i89 - 3P	0.02	0.92	0.36	41	3	0.45
Trinity	Casement	180 - i89 - 3P	0.10	1.13	0.36	36	3	0.45
Trinity	Awning	180 - i89 - 3P	0.10	1.02	0.36	38	3	0.45
Trinity	Double Slider	180 - i89 - 3P	0.50	1.33	0.41	34	3	0.53
Trinity	Double Hung	180 - i89 - 3P	0.60	1.25	0.41	35	3	0.53
Trinity	Low profile picture w/ grilles 5/8"	180 - i89 - 3P	0.01	0.81	0.43	47	3	0.54
Trinity	Fixed Casement w/ grilles 5/8"	180 - i89 - 3P	0.02	0.93	0.33	39	3	0.41
Trinity	Casement w/ grilles 5/8"	180 - i89 - 3P	0.10	1.14	0.33	34	3	0.41
Trinity	Awning w/ grilles 5/8"	180 - i89 - 3P	0.10	1.02	0.33	37	3	0.41
Trinity	Double Slider w/ grilles 5/8"	180 - i89 - 3P	0.50	1.40	0.38	30	2	0.48
Trinity	Double Hung w/ grilles 5/8"	180 - i89 - 3P	0.60	1.33	0.37	31	2	0.48
Trinity	Low profile picture w/ grilles 2"	180 - i89 - 3P	0.01	0.81	0.35	42	3	0.44
Trinity	Fixed Casement w/ grilles 2"	180 - i89 - 3P	0.02	0.93	0.27	35	3	0.34
Trinity	Casement w/ grilles 2"	180 - i89 - 3P	0.10	1.14	0.27	30	3	0.34
Trinity	Awning w/ grilles 2"	180 - i89 - 3P	0.10	1.02	0.27	33	3	0.34
Trinity	Double Slider w/ grilles 2"	180 - i89 - 3P	0.50	1.44	0.30	25	1	0.38
Trinity	Double Hung w/ grilles 2"	180 - i89 - 3P	0.60	1.36	0.30	26	2	0.38
Trinity	Low profile picture	272 - i89 - 3P	0.01	0.76	0.28	40	3	0.49
Trinity	Fixed Casement	272 - i89 - 3P	0.02	0.90	0.22	33	3	0.37
Trinity	Casement	272 - i89 - 3P	0.10	1.13	0.22	28	3	0.37
Trinity	Awning	272 - i89 - 3P	0.10	1.09	0.22	29	3	0.37
Trinity	Double Slider	272 - i89 - 3P	0.50	1.31	0.25	25	2	0.43
Trinity	Double Hung	272 - i89 - 3P	0.60	1.24	0.25	26	2	0.43
Trinity	Low profile picture w/ grilles 5/8"	272 - i89 - 3P	0.01	0.78	0.26	38	3	0.45
Trinity	Fixed Casement w/ grilles 5/8"	272 - i89 - 3P	0.02	0.91	0.20	32	3	0.34
Trinity	Casement w/ grilles 5/8"	272 - i89 - 3P	0.10	1.14	0.20	26	3	0.34
Trinity	Awning w/ grilles 5/8"	272 - i89 - 3P	0.10	1.09	0.20	28	3	0.34
Trinity	Double Slider w/ grilles 5/8"	272 - i89 - 3P	0.50	1.38	0.23	22	2	0.39
Trinity	Double Hung w/ grilles 5/8"	272 - i89 - 3P	0.60	1.31	0.23	24	2	0.39
Trinity	Low profile picture w/ grilles 2"	272 - i89 - 3P	0.01	0.78	0.21	35	3	0.36
Trinity	Fixed Casement w/ grilles 2"	272 - i89 - 3P	0.02	0.91	0.17	30	3	0.28
Trinity	Casement w/ grilles 2"	272 - i89 - 3P	0.10	1.14	0.17	25	3	0.28
Trinity	Awning w/ grilles 2"	272 - i89 - 3P	0.10	1.09	0.17	26	3	0.28
Trinity	Double Slider w/ grilles 2"	272 - i89 - 3P	0.50	1.43	0.18	18	1	0.31
Trinity	Double Hung w/ grilles 2"	272 - i89 - 3P	0.60	1.35	0.18	20	2	0.31
Trinity	Low profile picture	366 - i89 - 3P	0.01	0.74	0.18	34	3	0.40
Trinity	Fixed Casement	366 - i89 - 3P	0.02	0.88	0.14	29	3	0.30
Trinity	Casement	366 - i89 - 3P	0.10	1.10	0.14	24	3	0.30
Trinity	Awning	366 - i89 - 3P	0.10	1.06	0.14	25	3	0.30
Trinity	Double Slider	366 - i89 - 3P	0.50	1.29	0.16	20	2	0.35
Trinity	Double Hung	366 - i89 - 3P	0.60	1.22	0.16	21	2	0.35
Trinity	Low profile picture w/ grilles 5/8"	366 - i89 - 3P	0.01	0.75	0.16	33	3	0.36
Trinity	Fixed Casement w/ grilles 5/8"	366 - i89 - 3P	0.02	0.89	0.13	28	3	0.28
Trinity	Casement w/ grilles 5/8"	366 - i89 - 3P	0.10	1.11	0.13	23	2	0.27
Trinity	Awning w/ grilles 5/8"	366 - i89 - 3P	0.10	1.07	0.13	24	3	0.27
Trinity	Double Slider w/ grilles 5/8"	366 - i89 - 3P	0.50	1.36	0.15	18	1	0.32
Trinity	Double Hung w/ grilles 5/8"	366 - i89 - 3P	0.60	1.29	0.15	19	1	0.32
Trinity	Low profile picture w/ grilles 2"	366 - i89 - 3P	0.01	0.76	0.14	31	3	0.29
Trinity	Fixed Casement w/ grilles 2"	366 - i89 - 3P	0.02	0.89	0.11	27	3	0.23
Trinity	Casement w/ grilles 2"	366 - i89 - 3P	0.10	1.12	0.11	22	2	0.22
Trinity	Awning w/ grilles 2"	366 - i89 - 3P	0.10	1.07	0.11	23	2	0.22
Trinity	Double Slider w/ grilles 2"	366 - i89 - 3P	0.50	1.41	0.12	15	1	0.25
Trinity	Double Hung w/ grilles 2"	366 - i89 - 3P	0.60	1.33	0.12	17	1	0.25

Certification and testing carried out by:

Intertek Testing Services NA Ltd.  
6225 Kenway Drive  
Mississauga, Ont. L4V 1B3